


DL15 KIT



DL25 KIT



Key Features

- ▶ High power efficiency by using latest LED technology with optimized color rendering for TV studio lighting
- ▶ Daylight , Tungsten or Tunable white color temperature available, with high CRI and TLCI values
- ▶ With built-in power supply
- ▶ Set-up menu optimized for fast adjustment, featuring DMX modes, address, dim factor in % precise dim, temperature, fan mode and dimming curves
- ▶ Operated by DMX and on-board controller
- ▶ Accessories compatible with Director Halogen lights

GREECE-THESSALONIKI OFFICE



Industrial Area Thessaloniki
P.O. 44 Box 52, 57400 Sindos, Greece
Tel.: +30 2310 723020, Fax.: +30 2310 795336
E-mail: studio@systec.gr
www.systec.gr

GERMANY-MUNICH OFFICE



Kolpingring 8, D-82041 Oberhaching
Tel.: +49 89 5589109-10
E-mail: sales@melatech.de
www.melatech.net



DL15 LED Upgrade KIT

Upgrade your 1kW Halogen Director to the new LED equivalent DL15 with Systecs' LED Upgrade KIT and more than 85% on energy consumption



- easy and quick swap
- on site
- 2 step transformation
- replace ONLY the necessary
- from 1kW to 140W



Photometric Data

Model	DL1532		DL1556		DL15TW			
Nominal power	140W		140W		170W			
Color temperature	3200K		5600K		3200K		5600K	
Distance / Lux	Spot 14°	Flood 50°	Spot 14°	Flood 50°	Spot 14°	Flood 50°	Spot 14°	Flood 50°
3m	5349	1578	5667	1641	5095	1337	6417	1568
4m	3009	888	3188	923	2866	752	3610	882
5m	1926	568	2040	591	1834	481	2310	564
6m	1337	395	1417	410	1274	334	1604	392

Product Options and Accessories

Order Code	Description
DL1532K	LED Upgrade Kit from 1kW Halogen Director to LED Director 3200k
DL1556K	LED Upgrade Kit from 1kW Halogen Director to LED Director 5600k
DL15TWK	LED Upgrade Kit from 1kW Halogen Director to LED Director Tunable White 2800k to 6500k



DL25 LED Upgrade KIT

Upgrade your 2kW Halogen Director to the new LED equivalent DL25 with Systec's LED Upgrade KIT and save more than 85% on energy consumption



- easy and quick swap
- on site
- 4 step transformation
- replace **ONLY** the necessary
- from 2kW to 270W



Photometric Data

Model	DL2532		DL2556		DL25TW			
Nominal power	270W		270W		270W			
Color temperature	3200K		5600K		3200K		5600K	
Distance / Lux	Spot 12°	Flood 50°	Spot 12°	Flood 50°	Spot 12°	Flood 50°	Spot 12°	Flood 50°
3m	10589	2739	11240	3118	10283	2021	12836	2530
4m	5956	1541	6323	1754	5784	1137	7220	1423
5m	3812	986	4046	1122	3702	728	4621	911
6m	2647	685	2810	780	2571	505	3209	633

Product Options and Accessories

Order Code	Description
DL2532K	LED Upgrade Kit from 2kW Halogen Director to LED Director 3200k
DL2556K	LED Upgrade Kit from 2kW Halogen Director to LED Director 5600k
DL25TWK	LED Upgrade Kit from 2kW Halogen Director to LED Director Tunable White 2800k to 6500k